

T 7 N

R 7 W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N^o VII North, Range N^o VII West 2nd Mer.

Surveyed by Arthur Henrie 1874

Description of the Soil on the interior Sectional lines.

Between Sections	Quality, &c.	Between Sections	Between Sections
35.36	Land level - Timber Oak & Hickory	9.13	Land very brushy - Rolling
25.36	ditto	33.34	Wet Swampy
25.26	ditto	27.34	ditto
24.25	Land Prairie	27.28	Level - Timber Oak & Hickory
23.24	ditto	22.27	ditto
13.24	ditto	21.22	ditto
13.14	ditto	22.15	ditto
12.13	ditto	15.16	ditto
11.12	ditto	10.15	ditto
1.12	ditto	9.10	Thin Soil - Rolling - Timber Oak & Hickory very brushy
1.2	ditto	3.9	Soil the same
24.35	Land level - Timber Oak &c.	3.4	ditto
26.36	ditto	32.33	Swampy
26.27	ditto	33.28	ditto
23.24	ditto	28.29	Prairie
22.23	Prairie	28.21	ditto
14.23	ditto	20.21	Little Rolling - Timber Oak & Hickory
14.15	very Brushy	16.24	ditto
14.14	Land level - Timber Oak &c.	17.16	ditto
9.11	Barren no Timber - very brushy	9.16	Brushy, Rolling - Timber the same
11	Land very brushy - Rolling	8.9	Land very brushy Timber Oak & Hickory

our

C. L. South Boundary.

West On Rand^m between T. 6 & 7 N. R. 7 W.West Rand^m S. side of sec. 3640.00 Set tempy, q^r. sec. post80.00 Set post temporary cor. sec. 35 & 36
On E. side of a prairieWest On Rand^m S. side sec. 3540.00 Set temporary q^r. sec. post,80.00 Set post tempy, cor. sec. 34 & 35
On W. side of prairieWest On Rand^m S. side sec. 3440.00 Set tempy, q^r. sec. post on E. side of prairie80.00 Set tempy, post cor. sec. 33 & 34
prairie is wetWest On Rand^m on S. side of sec 3340.00 Set temporary q^r. sec. cor.80.00 Set post temporary cor. sec. 32 & 33
On W. side of prairieWest On Rand^m S. side sec. 3240.00 Set tempy, q^r. sec. post80.00 Set post temporary cor. sec. 31 & 32
Level W. Oak landWest On Rand^m on S. side sec. 3140.00 Set a temporary q^r. sec. post

60.00 To a Road corner S. W.

78.50 Intersect W. boundary, 200 yds. N. of
of Ham's line in the plain.Cor. Towns 6 & 7 N. R. 7 & 8 W. no bearing
cor. in plain, April 21st 1811.Surveyed by Alex^r Holmes, D. S.

T. & N. R. & W. 3rd Mer. Ind.

East On true line S. side Sec. 31
 38.50 Set gr. sec. post in plain not timbered
 78.50 Set post cor. sec. 31 & 32 from which
 a Hickory 14 in. dia. bears N 71 E 18 lns. dist,
 & a B. Oak 24 " " " N 22 W 61 " "

East On true line S. side Sec. 32
 40.00 Set gr. sec. post from which
 a Hickory 12 in. dia. bears N 66 E 16 lns. dist,
 & a Do. 12 " " " N 62 E 29 " "
 80.00 Set post cor. sec. 32 & 33 from which
 a B. Oak 24 in. dia. bears N 33 W 87 lns. dist,
 & an Elm 14 " " " S 45 W 75 " "

East On true line S. side sec. 33,
 40.00 Set gr. sec. post from which
 a B. Oak 18 in. dia. bears N 80 W 18 lns. dist
 & an Ash 10 " " " S 76 E 20 " "
 80.00 Set a post cor. sec. 33 & 34 from which
 no bearings - cor. in prairie,

East On true line S. side Sec. 34
 40.00 Set gr. sec. post from which
 an Ash 12 in. dia. bears N 22 W 10 lns.
 & an Elm 12 " " " S 8 E 13 lns. dist
 80.00 Set post cor. sec. 34 & 35 from which
 a Hickory 10 in. dia. bears S 81 E 46 lns. dist
 & a W. Oak 30 " " " N 89 W 70 " "

East On true line S. side Sec. 35
 40.00 Set gr. sec. post in prairie no trees
 80.00 Set post cor. sec. 35 & 36 from which
 a B. Oak 24 in. dia. bears N 22 W 40 lns. dist,
 & a Hickory 12 " " " S 70 E 47 " "

East On true line S. side sec. 36,

T. & N. R. & W. 2nd Mer. Ind. ⁷³

40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears S 8 E 75 lns. dist,
 no other timber near,
 80.00 Put out Random line at tumpy post
 & set post cor. of Towns 6 & 7 North Ranges
 6 & 7 met from which
 a Hickory 10 in. dia. bears N 65 W 8 lns. dist,
 & a Do. 12 " " " N 72 E 28 " "
 Surveyed in 1811. by Mr. Holmes, J. S.

over

East Boundary,
 North On E. boundary Sec. 36
 20.00 To an Ash 14 in. dia. in the line
 40.00 Set gr. sec. post from which
 a Hickory 10 in. dia. bears S 28 E 36 lns.
 & a Gum 12 " " " N 74 W 27 " dist,
 80.00 Set post in edge of swamp cor. sec. 25 & 36
 a W. Oak 24 in. dia. bears S 31 W 69 lns. dist,
 & a Hickory 12 " " " N 59 W 28 " "
 Good Oak land, swamp to W.

North On E. boundary Sec. 25
 offset swamp - Met 20.00 - N. 35.00
 W. 5.00 - N. 15.00 - W. 8.00 - N 45.00
 East 33.00. to line, & 15.00 chs. on 3. m.
 80.00 Corner in swamp, inaccessible, no. 24 & 25,

North On E. boundary Sec. 24
 15.00 Leave swamp
 40.00 Set gr. sec. post from which
 a Hickory 10 in. dia. bears S 35 E 59 lns.
 & a Do. 12 " " " N 22 W 47 "
 Land part swamp & part barrens
 80.00 Set post in barrens cor. sec. 13 & 24 -
 a Hickory 14 in. dia. bears S 48 E 127 lns.
 & no other timber near,

T. & N. R. & W. 2nd Mer. Ind.

East On true line S. side Sec. 31
 38.50 Set gr. sec. post in plain notched
 78.50 Set post cor. sec. 31 & 32 from which
 a Hickory 14 in. dia. bears N 71° E 18 th. dist,
 & a B. Oak 24 " " " N 22° W 61 " "

East On true line S. side Sec. 32
 40.00 Set gr. sec. post from which
 a Hickory 12 in. dia. bears N 66° E 16 th. dist,
 & a Do. 12 " " " N 62° E 29 " "
 80.00 Set post cor. sec. 32 & 33 from which
 a B. Oak 24 in. dia. bears N 33° W 87 th. dist,
 Van Elm 14 " " " S 45° W 75 " "

East On true line S. side sec. 33,
 40.00 Set gr. sec. post from which
 a B. Oak 18 in. dia. bears N 80° W 18 th. dist
 & an Ash 10 " " " S 76° E 20 " "
 80.00 Set a post cor. sec. 33 & 34 from which
 no bearings - cor. in prairie,

East On true line S. side Sec. 34
 40.00 Set gr. sec. post from which
 an Ash 12 in. dia. bears N 22° W 10 th.,
 Van Elm 12 " " " S 86° E 13 th. dist,
 80.00 Set post cor. sec. 34 & 35 from which
 a Hickory 10 in. dia. bears S 81° E 46 th. dist
 & a W. Oak 30 " " " N 89° W 70 " "

East On true line S. side Sec. 35
 40.00 Set gr. sec. post in prairie no trees
 80.00 Set post cor. sec. 35 & 36 from which
 a B. Oak 24 in. dia. bears N 22° W 10 th. dist,
 & a Hickory 12 " " " S 70° E 47 " "

East On true line S. side sec. 36,

T. & N. R. & W. 2nd Mer. Ind.

40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears S 86° E 75 th. dist,
 no other timber near,

80.00 Put out Random line at tempy. post
 & set post cor. of Towns 67 & North Ranges
 67 & 7 met from which
 a Hickory 10 in. dia. bears N 65° W 8 th. dist,
 & a Do. 12 " " " N 72° E 28 " "
 Surveyed in 1811. by Mr. Holmes, J. S.

over

East Boundary,
 North On E. boundary Sec. 36

20.00 To an Ash 14 in. dia. in the line
 40.00 Set gr. sec. post from which
 a Hickory 10 in. dia. bears S 28° E 36 th.,
 & a Gum 12 " " " N 74° W 27 th. dist,
 80.00 Set post in edge of swamp cor. sec. 25 & 36
 a W. Oak 24 in. dia. bears S 31° W 69 th. dist,
 & a Hickory 12 " " " N 59° W 28 " "
 Good Oak land, swamp to W.

North On E. boundary Sec. 25
 offset swamp - West 20.00 - N. 35.00
 W. 5.00 - N. 15.00 - W. 8.00 - N 45.00
 East 33.00. to line, & 15.00 chs. on 3rd m.
 80.00 corner in swamp, inaccessible, no. 24 & 25,

North On E. boundary Sec. 24
 15.00 Leave swamp
 40.00 Set gr. sec. post from which
 a Hickory 16 in. dia. bears S 35° E 59 th.,
 & a Do. 12 " " " N 22° W 47 "
 Land part swamp & part barrens
 80.00 Set post in barrens cor. sec. 13 & 24 -
 a Hickory 14 in. dia. bears N 48° E 127 th.
 & no other timber near,

T. 7 N. R. 7 W. 2^d Mer. Ind.

North On the E. boundary, sec. 13,
40.00 Set gr. sec. post from which
a W. Oak 18 in. dia. bears S 1/2 W 450 lbs. dist
& no other timber near,
60.00 Enter a large plain -
80.00 Set post cor. sec. 12 & 13 in plain
no bearings -

North On the E. boundary sec 13
16.00 To a Brook 25 lbs. wide en. S.E.,
40.00 Set gr. sec. post - no bearings
80.00 Set post cor. sec. 1 & 12 from which
no bearings. no timber

North On the E. boundary sec. 1
40.00 Set gr. sec. post, no bearings,
80.75 Intersect N. boundary 250 lbs. W. of
temporary post. & set post cor. Towns
7 & 8 N. Ranges 6 & 7 West from which
a Hickory 10 in. dia. bears East 2200 lbs. dist,
no other.
April 25th 1811. Surveyed by
Alex. Holmes Dep. Sur.

Beque

North Boundary
West On Rand. S. side sec. 36 T. 8 N. R. 7 W.,
40.00 Set temp. gr. sec. post,
80.00 Set temp. post cor. sec. 35 & 36
Clear open plains with good Oak
& timber standing on it. good land

West On Rand. S. side of sec. 35 T. 8 N. R. 7 W.,
15.00 To a Brook 10 lbs. wide en. S.E.
40.00 Set temporary gr. sec. post
55.00 To a Brook 15 lbs. wide en. S.E.
60.00 To a Brook 15 lbs. wide en. S.E.
80.00 Set a post temp. cor. sec. 34 & 35
Land same as last mile,

T. 7 N. R. 7 W. 2^d Mer. Ind.

West On the S. side sec. 34 Rand. T. 8 N. R. 7 W.,
40.00 Set temporary gr. sec. post,
55.00 To a Brook 4 lbs. wide en. S,
62.00 " " " " " " S.E.,
80.00 Set temporary - i sec. post cor. sec. 33 & 34
a continuation of same land,

West On Rand. S. side sec. 33 T. 8 N. R. 7 W.,
40.00 Set temp. gr. sec. post,
70.00 To a Brook 4 lbs. wide en. S,
80.00 Set temp. post cor. sec. 32 & 33,
Rangers. timber Oak & Hickory &c

West Rand. S. side sec. 32 T. 8 N. R. 7 W.,
40.00 Set temporary gr. sec. post,
80.00 Set post temporary cor. sec. 31 & 32
Land same as last,

West Rand. S. side sec. 31 T. 8 N. R. 7 W.,
39.50 To a Brook 3 lbs. wide en. S,
40.00 Set temporary gr. sec. post,
79.50 Intersect the W. boundary 1400 lbs. South
of Harris' Town cor. Set post cor. Towns
7 & 8 N. Ranges 7 & 8 W from which
no bearings. Good Oak land,
Surveyed in 1811 by
Alex. Holmes, Dep. Sur.

East Corner S. side sec. 31 T. 8 N. R. 7 W.,
40.00 Set gr. sec. post from which
a Hickory 10 in. dia. bears N 44 E 46 lbs. dist,
& a B. Oak 10 " " " S 71 W 44 " "
79.50 Set post cor. sec. 31 & 32 from which
a B. Oak 30 in. dia. bears N 70 W 55 lbs. dist,
& a Hickory 14 " " " North 40 " "

T. 7 N. R. 7 W. 2nd Mer. Ind.

East Correct S. side Sec. 32 T. 8 N. R. 7 W.
 40.00 Set gr. sec. post from which
 a Hickory 12 in. dia. bears N 77 E 12 th. dist,
 & a W. Oak 18 " " " N 69 W 55 " "
 80.00 Set post cor. sec. 32 & 33 from which
 a Hickory 10 in. dia. bears N 41 W 62 th. dist.
 no other timber

East Correct S. side Sec. 33 T. 8 N. R. 7 W.
 40.00 Set gr. sec. post no bearings
 80.00 Set post cor. sec. 33 & 34 from which
 a W. Oak 30 in. dia. bears S 43 W 48 th. dist,
 no other timber near,

East Correct S. side Sec. 34 T. 8 N. R. 7 W.
 40.00 Set gr. sec. post from which
 a Hickory 16 in. dia. bears S 37 E 45 th. dist,
 & a - no other timber near,
 80.00 Set post cor. sec. 34 & 35 from which
 a B. Oak 30 in. dia. bears N 6 E 1 th. dist.
 & a Hickory 8 " " " N 72 E 44 " "

East Correct S. side Sec. 35 T. 8 N. R. 7 W.
 40.00 Set gr. sec. post from which
 a Hickory 16 in. dia. bears N 78 W 47 th. dist,
 & a B. Oak 6 " " " S 21 E 64 " "
 80.00 Set post cor. sec. 35 & 36 from which
 a W. Oak 18 in. dia. bears N 70 W 57 th. dist,
 & a Do. 16 " " " N 44 E 47 " "

East Correct S. side Sec. 36 T. 8 N. R. 7 W.
 40.00 Set gr. sec. post from which
 a Hickory 18 in. dia. bears N 35 E 37 th. dist,
 & a - no other. April 26th 1811. -
 80.00 Set post cor. to Towns 7 & 8 N. Ranges 6 &
 7 W. Surveyed by Alex. Holmes. D. S.

T. 7 N. R. 7 W. 2nd Mer. Ind.

Co. L. West Boundary, Var.

North On the E. side of Sec. 36, T. 7 N. R. 8 W.
 12.50 To a Brook 6 ths. wide en. S E,
 40.00 Set gr. sec. post from which
 a W. Oak 10 in. dia. bears N 39 W 20 th. dist,
 & a Hickory 12 " " " S 21 E 37 " "
 68.60 To a W. Oak 12 " " "
 80.00 Set post cor. sec. 25 & 36 from which
 a W. Oak 27 in. dia. bears N 40 E 84 th. dist,
 & a Do. 20 " " " N 56 W 44 " "
 Land level & mostly prairie sandy
 soil, timbered Oak & Hickory &

North On the E. side Sec. 25 T. 7 N. R. 8 W.
 21.54 To a W. Oak 12 in. dia.
 40.00 Set gr. sec. post from which
 a J. Oak 10 in. dia. bears N 65 W 9 th. dist,
 & a Do. 8 " " " N 89 E 23 " "
 45.50 To a B. Oak 6 ths. wide en. S E,
 80.00 Set post cor. sec. 24 & 25 from which
 a Hickory 12 in. dia. bears N 23 W 21 th. dist,
 & a Do. 13 " " " S 46 W 54 " "
 1st 1/2 mile 2nd rate Oak & Hickory lush
 1/2 mile wet prairie & poor land

North On E. side of Sec. 34 T. 7 N. R. 8 W.
 40.00 Set gr. sec. post from which
 a J. Oak 14 in. dia. bears S 72 W 77 th. dist,
 & a Do. 10 " " " N 28 E 101 " "
 on bank of brook 6 ths. wide en. E, & ext. pr.
 65.00 Cropped prairie
 80.00 Set post cor. sec. 13 & 24 from which
 a W. Oak 13 in. dia. bears N 29 W 16 th. dist,
 & a Do. 13 " " " S 21 W 15 " "
 Land part rolling & part level & the

T. 7 N. R. 7 W. 2nd Mer. Ind.

Co. L. & the timber is Oak & Hickory 2nd rate
past prairie, wet & 3rd rate land

North On E. side of Sec. 13 T. 7 N. R. 8 W
14.74 To a Hickory 9 in. dia. -
18.00 Entered a prairie
40.00 Set gr. sec. post in prairie no bearings,
58.20 To a W. Oak 9 in. dia. - over prairie
80.00 Set post cor. Sec. 13 & 13 from which
a Hickory 11 in. dia. bears N60W35 the dist.
4a Do. 9 " " " N19W28 " "
Land level & the timber is Oak & Hickory
middling good farming land - good
for wheat, prairie rather wet & poor,

North On E. side of Sec 12 T. 7 N. R. 8 W.
40.00 Set post for gr. sec. cor. from which
a W. Oak 18 in. dia. bears S62E40 the dist.
4a B. Oak 24 " " " N5W80 " "
80.00 Set post cor. Sec. 1 & 12 from which
a B. Oak 30 in. dia. bears S57W46 the dist.
4a Do. 15 " " " N83E51 " "
Land rolling. Oak & Hickory timber
bushy but good for wheat

North On E. side of Sec. 1 T. 7 N. R. 8 W
40.00 Set gr. sec. post from which
a B. Oak 8 in. dia. bears N42E14 the dist.
4a Hickory 8 " " " N58W31 " "
78.10 To a small brook cor. W,
94.59 Set post cor. Town 748 N. Range 748 W
a W. Oak 24 in. dia. bears N68W66 the dist.
4a Do. 14 " " " S29W30 " "
Land same as last rather rolling
Surveyed in 1811, by
Alex. Holmes, Dep. Sur.

T. 7 N. R. 7 W. 2nd Mer. Ind.

Co. L. Subdivisions

North Between sections 35 & 36
40.00 Set gr. sec. post from which
a Hickory 12 in. dia. bears South 43 the.
4a W. Oak 18 " " " N60W49 "
80.00 Set a post cor. to sec. 25, 26, 35 & 36,
a W. Oak 12 in. dia. bears S34E50 the dist.
4a B. Oak 20 " " " N35E38 " "
Land level & the timber is Oak & Hickory

East On Random between sections 25 & 36
40.00 Set temporary gr. sec. post
80.18 Intersect the E. line of Sec. 18 the. S,
of post. Land &c. is same as last,

West Correct the line between sec. 25 & 36
40.09 Set gr. sec. post from which
a B. Oak 29 in. dia. bears N52E50 the.
4a Do. 30 " " " S64W50 the dist.
80.18 To the sections corner.

North Between sections 25 & 26
40.00 Set gr. sec. post from which
a Hickory 12 in. dia. bears N10E55 the dist.
4a Do. 10 " " " N88W38 " "
65.00 Entered prairie
80.00 Set a post cor. Sec. 23, 24, 25 & 26,
no bearings - (no description.)

East On Random between sec. 24 & 25
30.00 Entered timbered land
40.00 Set tempy. gr. sec. post,
45.00 To a brook 18 the. wide cor. SE,
55.00 To a pond covered with brush
83.12 Intersect E line of sec. 18 the. S. of post

T. 7 N. R. 7 W. 2nd Nov. Ind. a.

West Correct the line between sec. 24 & 25
 40.00 Set gr. sec. post from which
 a W. Oak 12 in. dia. bears East 55 ths.
 no other timber near
 80.12 To the Sec. corner,

North Between sections 23 & 24

15.00 To timber
 22.00 " a Run 5 ths. wide on S.E.
 28.00 Enter a prairie
 40.00 Set gr. sec. post. no bearings
 57.50 To a Brook 12 ths. wide on S.W.
 80.00 Set post cor. sec. 23, 24, 13 & 14 -
 in prairie - no bearings,

East On Random between sec. 13 & 24

40.00 Set a temporary gr. sec. post
 65.00 Enter barrens
 80.30 Intersect E. line of sec. 32 ths. S. of post

West Correct the line between sec. 13 & 24
 40.15 Set gr. sec. post from which
 no bearings - in prairie
 80.30 To the Sec. corner,

North Between sections 13 & 14

40.00 Set gr. sec. post from which
 60.00 Enter timber
 80.00 Set post cor. sec. 11, 12, 13 & 14 from which
 a Hickory 10 in. dia. bears North 39 ths. S.
 & a D. 10 " " N 49 E 40 "
 Land &c. is same as on last mile,

East On Random between sections 12 & 13
 40.00 Set temporary gr. sec. cor. post
 65.00 Enter a prairie

T. 7 N. R. 7 W. 2nd Nov. Ind. a.

80.30 Intersect E. line of sec. 42 ths. S. of post
 Land &c. same as on last

West Correct the line between sec. 12 & 13
 40.15 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears East 10 ths. S.
 80.30 To sec. corner. no other bearing

North Between sections 11 & 12

40.00 Set gr. sec. post from which
 a Hickory 12 in. dia. bears N 48 E 104 ths.
 no other bearing tree,
 80.00 Set post cor. sec. 1, 2, 11 & 12 from which
 a W. Oak 12 in. dia. bears N 48 W 100 ths.
 no other (N 43 E 131 "
 Land &c. same as on last mile,

East On Random between sec. 10 & 12
 5.00 To a Brook 12 ths. wide on S.E.
 8.00 " a prairie
 40.00 Set a temporary gr. sec. post
 80.40 Intersect E. line of sec. 73 ths. S.
 of post. Land &c. same as last,

West Correct the line between sec. 10 & 12
 40.20 Set gr. sec. post. no bearings
 80.40 To the Sec. corner,

North Between sections 1 & 2

5.50 To a Brook 12 ths. wide on S.E.
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears N 87 E 125 ths.
 no other timber
 83.42 Intersect N. boundary, 98 ths. West of cor.
 & set post cor. sec. 1 & 2 from which
 a W. Oak 20 in. dia. bears N 87 E 20 ths. S.

T. & N. R. & W. 2nd Nov. Ind.

West Correct the line between sec. 24 & 25
 40.00 Set gr. sec. post from which
 a W. Oak 12 in. dia. bears East 55 ths,
 no other timber near
 80.12 To the Sec. corner,

North Between sections 23 & 24
 15.00 To timber
 22.00 " a Run 5 ths wide on S.E.,
 28.00 Enter a prairie
 40.00 Set gr. sec. post. no bearings
 57.50 To a Brook 12 ths. wide on S.W.
 80.00 Set post cor. sec. 23, 24, 13 & 14 -
 in prairie - no bearings,

East On Random between sec. 13 & 24
 40.00 Set a temporary gr. sec. post
 65.00 Enter barrens
 80.30 Intersect E. line of sec. 30 ths. S. of post

West Correct the line between sec. 13 & 24
 40.15 Set gr. sec. post from which
 no bearings - in prairie
 80.30 To the Sec. corner,

North Between sections 13 & 14
 40.00 Set gr. sec. post from which
 60.00 Enter timber
 80.00 Set post cor. sec. 11, 12, 13 & 14 from which
 a Hickory 10 in. dia. bears North 39 ths. dia.
 & a S.E. 10 " " N 49 E 40 "
 Land &c. is same as on last mile,

East On Random between sections 12 & 13
 40.00 Set temporary gr. sec. cor. post
 65.00 Enter a prairie

T. & N. R. & W. 2nd Nov. Ind.

80.30 Intersect E. line of sec. 42 ths. S. of post
 Land &c. same as on last

West Correct the line between sec. 12 & 13
 40.15 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears East 10 ths. dia.,
 80.30 To sec. corner. no other bearing

North Between sections 11 & 12
 40.00 Set gr. sec. post from which
 a Hickory 12 in. dia. bears N 45 E 104 ths,
 no other bearing tree,
 80.00 Set post cor. sec. 1, 2, 11 & 12 from which
 a W. Oak 13 in. dia. bears N 43 W 130 ths.
 no other (N 43 W 130 "
 Land &c. same as on last mile,

East On Random between sec. 1 & 12
 5.00 To a Brook 12 ths. wide on S.E.,
 8.00 " " prairie
 40.00 Set a temporary gr. sec. post
 80.40 Intersect E. line of sec. 73 ths. S.
 of post. Land &c. same as last,

West Correct the line between sec. 1 & 12
 40.20 Set gr. sec. post. no bearings
 80.40 To the Sec. corner,

North Between sections 1 & 2
 5.50 To a Brook 12 ths. wide on S.E.,
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears N 87 E 125 ths,
 no other timber
 83.42 Intersect N. boundary, 98 ths. West of cor.
 & set post cor. sec. 1 & 2 from which
 a W. Oak 20 in. dia. bears N 87 E 20 ths. dia.,

T. 7 N. R. 7 W. 3rd Mer. Ind^a

6a Se. & a W. Oak 18 in dia. bears S16W15 the dist.
Land same as last mile.
February 31st 1814.

North Between sections 34 & 35

39.00 To a Brook 10 ths. wide en. S. W.

40.00 Set gr. sec. post from which
a W. Oak 12 in dia. bears North 48 the dist.
no other

80.00 Set a post cor. to sec. 26, 27, 34 & 35
a W. Oak 20 in dia. bears S85W23 the dist.
& a Do. 18 " " " N6W33 the dist.
Land level. timbered Oak &c

East On Random between sec. 26 & 35

40.00 Set temporary gr. sec. post

80.00 Intersect E. line of sec. 25 the S. of
post. Land &c. same as last mile

West Correct the line between sec. 26 & 35

40.00 Set gr. sec. post from which
a W. Oak 12 in dia. bears N53E31 the dist.
& a Do. 20 " " " S85W20 "

80.00 To the section corner,

North Between sections 26 & 27

40.00 Set gr. sec. post from which
a Hickory 10 in dia. bears S85E14 the dist.
& a Hickory 10 " " " S3W33 "

80.00 Set a post cor. sec. 22, 23, 26 & 27
a W. Oak 30 in dia. bears North 18 the dist.
& a Do. 20 " " " S63E21 "
Land &c. same as on last mile

East On Random between sec. 23 & 26

40.00 Set a temporary gr. sec. post

T. 7 N. R. 7 W. 2nd Mer. Ind^a 83

65.00 Enter a prairie

80.00 Intersect E. boundary 30 ths. S. of post.
Land &c. is same as on last mile

West Correct the line between sec. 23 & 26

40.00 Set gr. sec. post from which
a Hickory 12 in dia. bears N57W22 the dist.
& a Do. 10 " " " S78E20 the dist.

80.00 To sec. corner,

North Between sections 22 & 23.

20.00 Enter a prairie

40.00 Set gr. sec. post no bearings

80.00 Set post cor. sec. 22, 23, 14 & 15 from which
no bearings - cor. in prairie,

East On Random between sec. 14 & 23,

40.00 Set a temporary gr. sec. post.

63.00 To a Brook 12 ths. wide en. S.E.

80.00 Intersect E. line of sec. 18 the S. of
post. Land level &c

West Correct the line between sec. 14 & 23,

40.00 Set gr. sec. post from which
no bearings - in prairie

80.00 To sec. corner,

North Between sec. 14 & 15

20.00 To Barrens some timber

40.00 Set gr. sec. post. no timber near

80.00 Set a post cor. to sec. 10, 11, 14 & 15 from which
a W. Oak 20 in dia. bears N52W46 the dist.
& a Do. 24 " " " S84W16 the dist.
Land very bushy

East On Random between sec. 11 & 14

T. 4 N. R. 7 W. 3rd New. Ind.

40.00 Set temporary gr. sec. post
 80.20 To the E. line sec. 12 th. S. of post
 Land level thin soil, timber same,

West Correct the line between Sec. 11 & 14
 40.10 Set gr. sec. post from which
 a B. Oak 20 in. dia. bears N 88 W 15 th.
 no other —
 80.20 To the Sec. corner,

North Between Sec. 10 & 11 —
 40.00 Set gr. sec. post from which
 no bearings — no timber near
 80.00 Set a post cor. to sec. 2, 3, 10 & 11,
 in canopy, no timber near,
 Land hilly & bushy & —

East On Random between Sec. 2 & 11
 40.00 Set a temporary gr. sec. post
 80.26 Intersect E. line of Sec. 12 th. S. of
 post. Land very bushy & rolling,

West Correct the line between sec. 2 & 11
 40.13 Set gr. sec. post from which
 a W. Oak bears S 86 E 70 th. dia.,
 no other timber
 80.26 To the sec. corner,

North Between sections 2 & 3,
 40.00 Set gr. sec. post from which
 a B. Oak 7 in. dia. bears N 68 W 55 th.,
 & a Do. 5 " " " S 52 E 32 "
 65.00 To a Brook 12 th. wide en. E,
 80.50 Set post cor. sec. 2 & 3 at intersection
 of N. boundary 94 th. W. of post.
 set post from which a

T. 4 N. R. 7 W. 3rd New. Ind.

On E. a B. Oak 5 in. dia. bears S 91 W 40 th. dia.,
 Land & same as on last mile
 February 22nd 1814. —

North Between sections 33 & 34
 40.00 no gr. post. set, being on offset E,
 80.00 Set post cor. sec. 27, 28, 33 & 34 from wh.,
 an Elm 12 in. dia. bears N 52 E 12 th. dia.,
 & a B. Oak 7 " " " N 61 W 13 " "
 Land wet & swampy —

East On Random between Sec. 27 & 34
 40.00 Set a temporary gr. sec. post,
 80.15 Intersect E. line of sec. 12 th. S. of
 post. Land same as last

West Correct the line between sec. 27 & 34
 40.07½ Set gr. sec. post from which
 a W. Oak 8 in. dia. bears N 75 E 25 th.,
 & a — no other,
 80.15 To the section corner,

North Between sections 27 & 28,
 40.00 Set gr. sec. post. W. Oak 18 in. dia. E 38 th. dia.
 80.00 Set a post cor. Secs. 21, 22, 27 & 28,
 a Hickory 10 in. dia. bears S 65 W 20 th.,
 & a Gum 8 " " " N 81 W 3 " dia.,
 Land level timber Oak & Hickory,

East On Random between Sec. 22 & 27
 40.00 Set temporary gr. sec. post
 80.00 Intersect the E. line of sec. 12
 th. S. of post. Land & same as last,

West Between sections 22 & 27
 40.00 Set gr. sec. post from which

T. 7 N. R. 7 W. 2nd New Ind.

Co. L. a W. Oak 18 in. dia. bears S 12 W 42th M. dist.
 & a Do. 15 " " " N 88 E 33 " "
 80.00 To the sec. corner,

North Between sections 21 & 22

40.00 Set gr. sec. post from which
 a B. Oak 30 in. dia. bears S 25 E 78th M.,
 & a Do. 18 " " " N 66 E 61 " dist.
 80.00 Set post cor. sec. 15, 16, 21 & 22 from wh
 a W. Oak 12 in. dia. bears N 11 W 24th M.,
 & a Do. 20 " " " S 38 E 30 "
 Land &c. same as on last mile,

East On Random between sec. 15 & 22

40.00 Set a temporary gr. sec. post,
 55.00 Enter a prairie
 80.28 Intersect E. line of sec. 25th M. D,
 of post, Land &c. same as last,

West Correct the line between sec. 15 & 22

40.14 Set gr. sec. post from which,
 a Hickory 12 in. dia. bears S 63 W 32th M.
 & a Do. 10 " " " N 12 W 63,
 80.28 To the sec. corner,

North Between sections 15 & 16

14.25 To a B. Oak 20 in. dia. in the line,
 40.00 Set gr. sec. post from which
 a W. Oak 24 in. dia. bears S 28 E 43th M.,
 & a Do. 20 " " " S 48 W 66 "
 80.00 Set a post cor. sec. 9, 10, 15 & 16 -
 a B. Oak 20 in. dia. bears N 29 W 26th M.,
 & a Do. 24 " " " N 58 W 52 "
 Land &c. same as on last mile,

East On Random between sec. 10 & 15.

T. 7 N. R. 7 W. 2nd New Ind.

40.00 Set a Temporary gr. sec. post
 80.00 Intersect the E. line of sec. 30th M. N.
 of post. Land &c. same as last,

West Correct the line between sec. 10 & 15

40.00 Set gr. sec. post from which
 a Hickory 10 in. dia. bears S 33 W 33th M.,
 & a Do. 10 " " " S 84 E 6 " dist.
 80.00 To the sec. cor. -

North Between sections 9 & 10

40.00 Set gr. sec. post from which
 a W. Oak 12 in. dia. bears S 54 E 22th M.,
 & a B. Oak 24 " " " N 44 E 34 " dist.
 80.00 Set a post cor. to sec. 3, 4, 9 & 10 from which
 a B. Oak 20 in. dia. bears S 56 E 30th M. dist.,
 & a Hickory 10 " " " N 44 W 4 " "
 Land rolling & thin soil very bushy,
 & timber is Oak & Hickory &c.

East On Random between sec. 3 & 10

40.00 Set a Temporary gr. sec. post,
 80.00 Intersect E. line of sec. 10th M. S. of post
 soil thin & very bushy

West Correct the land between sec. 3 & 10

40.00 Set gr. sec. post. no timber near
 80.00 To the sec. corner,

North Between sections 3 & 4

40.00 Set gr. sec. post from which
 a Hickory 18 in. dia. bears N 87 E 31th M. dist.
 & a W. Oak 12 " " " N 8 E 55 " "
 89.00 Intersect N. boundary 150th M. N. of post
 where set post cor. sec. 3 & 4 from which
 a Hickory 12 in. dia. bears N 8 E 62th M.,

T. & N. R. & W. 2nd Mer. Ind.

Co. L, no other near: Land &c. same,
February 23rd 1814. —

North Between sections 32 & 33,

40.00 Set gr. sec. post from which
no bearings - cor. in swamp

80.00 Set post cor. sec. 32, 33, 28 & 29 -
a B. Oak 6 in. dia. bears N 11 W 39 N. dish,
& a Do. 6 " " " S 70 E 9 " "
Land all swamp —

East Random between sec. 28 & 33

40.00 Set temporary gr. sec. post in swamp

79.00 Leave swamp

80.05 Intersect E. line of sec. 18 N. S. of
post. (Not corrected.)

North Between sections 28 & 29

40.00 Set gr. sec. post from which
no bearings - cor. in prairie,

80.00 Set post cor. sec. 20, 21, 28 & 29,
in prairie —

East On Random between sec. 21 & 28,

40.00 Set a temporary gr. sec. post

60.00 Enter timber,

80.00 Intersect E. line of sec. 18 N. S. of
post, Land level, Timber Oak & Hickory

West Correct the line between sec. 21 & 28,

40.00 Set gr. sec. post in prairie

80.00 To the sec. corner,

North Between sections 20 & 21

40.00 Set gr. sec. post in prairie

50.00 Enter timbered land

T. & N. R. & W. 2nd Mer. Ind.

80.00 Set post cor. sec. 16, 17, 20 & 21 from wh.
a B. Oak 20 in. dia. bears N 19 E 32 N.
& a W. Oak 19 " " " N 19 W 10 " dish,
Land a little rolling & timbered Oak &c,

East On Random between sec. 16 & 21

40.00 Set temporary gr. sec. post -

50.00 Enter prairie

75.00 Enter Timber

80.20 Intersect E. line of sec. 22 N. S.
of post, Land &c. same as last,

West Correct the line between sec. 16 & 21

40.00 Set gr. sec. post from which

a B. Oak 10 in. dia. bears S 70 E 30 N.
no other bearing given

80.00 To the sec. corner,

North Between sections 16 & 17

40.00 Set gr. sec. post from which

a W. Oak 20 in. dia. bears N 41 E 50 N.
& a Hickory 12 " " " S 38 W 16 dish

80.00 Set post cor. sec. 8, 9, 16 & 17 from which
a Hickory 10 in. dia. bears N 48 W 7 N. dish
& a Do. 12 " " " S 48 E 57 " "
Land &c. is same as on last mile,

East On Random between sections 9 & 16

40.00 Set a temporary gr. sec. post

73.00 To a Brook 10 N. wide cr. South

80.20 To the E. line of sec. 20 N. S. of post,
Land very bushy rolling timbered same,

West Correct the line between sec. 9 & 16

40.10 Set gr. sec. post from which

a W. Oak 20 in. dia. bears West 67 N. dish

T. & N. R. & W. 2^d Nov. Ind:

60.00 no other bearing given
80.00 To the sec. corner,

North Between sections 8 & 9

40.00 Set gr. sec. post from which
a B. Oak 29 in. dia. bears S 48° W 40 th,
& a Do. 24 " " " S 34° E 68 " dist,
80.00 Set a post cor. sec. 4, 5, 8 & 9 from which
a Hickory 10 in. dia. bears N 10° E 32 th,
& a Do. 10 " " " S 49° E 36 " dist,
Land very bushy & timbered Oak, Hickory &c,

East On Random between sec. 4 & 9

40.00 Set a temporary gr. sec. post
80.00 Intersect the E. line of sec. 20 th. S,
of post. Land very bushy & the
timber is Oak & Hickory &c

West Correct the line between sec. 4 & 9

40.00 Set gr. sec. post from which
a Hickory 10 in. dia. bears S 34° E 36 th,
& a B. Oak 20 " " " S 62° W 42 "
80.00 To the sec. corner,

North Between sections 4 & 5,

40.00 Set gr. sec. post from which
a Hickory 12 in. dia. bears N 5° W 14 th,
& a B. Oak 29 " " " S 12° E 57 " dist,
91.50 Intersect the N. boundary at post,
Land &c. same as last mile,
February 24th 1844.

North Between sections 31 & 32

40.00 Set gr. sec. post from which
a W. Oak 20 in. dia. bears S 35° E 26 th,
& a Hickory 12 " " " N 87° W 17 "

T. & N. R. & W. 2^d Nov. Ind: 91

80.00 Set a post cor. sec. 29, 30, 31 & 32,
a Hickory 10 in. dia. bears N 25° W 11 th,
& a Do. 12 " " " S 55° E 10 " dist,
Land level & the timber is Oak & Hickory

North Between sections 29 & 30

10.00 Enter prairie
40.00 Set gr. sec. post from which
no bearings - in prairie
65.00 To a Brook 10 th. wide cr. S. E,
80.00 Set a post cor. sec. 19, 20, 29 & 30,
in prairie, no bearings,

East On Random between sec. 20 & 29

40.00 Set a temporary gr. sec. post
45.00 To a Brook 12 th. wide cr. S,
80.00 Intersect E. line of sec. 24 th. N,
of post, Prairie land -

West Correct the line between sec. 20 & 29

40.00 Set gr. sec. post from which
no bearings - in prairie
80.00 To Sec. Corner,

North Between sections 19 & 20

40.00 Set gr. sec. post. in prairie
50.00 Leave the prairie
80.00 Set a post cor. sec. 17, 18, 19 & 20
a Hickory 10 in. dia. bears N 34° W 23 th,
& a W. Oak 15 " " " N 50° E 39 "
Thin soil & timber same as last,

East On Random between sec. 17 & 20

39.50 To a Brook 18 th. wide cr. South
40.00 Set a temporary gr. sec. post,
45.00 Enter prairie,

92

T. 7 N. R. 7 W. 2nd Mer. Ind.

70.00 Entered timber land
 80.00 Set a post cor. Sec. 10th N. of post,
 line of sec. 10th N. of post,
 Land &c. same as last mile,

West Correct the line between sec. 17 & 20

40.00 Set a temporary gr. sec. post,
 at av. dist. on true line from which
 a Hickory 10 in. dia. bears North 2th
 80.00 Sec. corner. (no other bearing,)

North Between sections 17 & 18

40.00 Set gr. sec. post from which
 a B. Oak 20 in. dia. bears N 10 E 31th,
 & a W. Oak 18 " " " N 34 W 31 "
 50.25 To a W. Oak 12 " " in the line,
 80.00 Set a post cor. sec. 7, 8, 17 & 18 from which
 a W. Oak 20 in. dia. bears N 10 E 49th dist.,
 & a Do. 12 " " " N 8 E 58 " "
 Land &c. same as on last mile,

East Between sections 8 & 17

15.00 Entered a prairie
 40.00 Set a temporary gr. sec. post
 40.50 To a water course 10th wide cor. S,
 60.00 Entered timber
 80.10 Intersect E. line of, Sec. 8th N. of
 of post. Land &c. same as last

West Correct the line between sec. 8 & 17

40.05 Set gr. sec. post from which
 no bearings, cor. in prairie,
 80.10 To the sec. corner,

North Between sections 7 & 8,

40.00 Set gr. sec. post from which

T. 7 N. R. 7 W. 2nd Mer. Ind. 93

C. L. a Hickory 10 in. dia. bears S 26 E 46th dist.,
 & a B. Oak 36 " " " N 26 W 28 " " "
 80.00 Set post cor. sec. 5, 6, 7, & 8, from which a
 Hickory 12 in. dia. bears S 64 E 52th dist.,
 & a Do 12 " " " N 17 E 26 " "
 Land same as last mile

East On Ran down between sec. 5 & 8,

40.00 Set temporary gr. sec. post
 61.00 To a brook 12th wide cor. South
 80.12 Intersect the E. boundary of sec. 10th N. of
 of post. Land same as last mile,

West Correct the line between sec. 5 & 8

40.06 Set gr. sec. post from which
 a W. Oak 30 in. dia. bears S 62 E 40th dist.,
 & a B. Oak 20 " " " N 26 W 33 " "
 80.12 To Sec. corner,

North Between sections 5 & 6

40.00 Set gr. sec. post from which a
 Hickory 12 in. dia. bears S 20 E 43th dist.,
 & a Do. 12 " " " N 60 E 12 " "
 90.65 Intersect N. boundary 12th N. of post
 where set post cor. sec. 5 & 6, from which
 a B. Oak 24 in. dia. bears N 40 E 29th,
 & a Hickory 10 " " "
 Land &c. same as last Feb. 25. 1814

West Between sections 6 & 7

19.50 To a Brook 10th wide cor. South
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears S 30 W 50th,
 & a W. Oak 24 " " " N 80 E 95th dist.
 79.65 Intersect W. boundary at post,
 Land very rolling & bushy &c

T. & N. R. & W. 2nd Mer. Ind.

West Between sections 7 & 18,
 40.00 Set a gr. sec. post from which
 a Hickory 10 in. dia. bears N 35 W 18th,
 no other near,
 79.50 Intersect W. boundary 10th N. of
 post. & set post cor. Sec. 7 & 18 from wh.
 a Hickory 10 in. dia. bears N 34 W 20th,
 & a Do. 12 " " " S. 55 E 38th dist.
 Land &c. same as on last mile,

West Between sections 18 & 19

15.00 Entered a prairie
 40.00 Set gr. sec. post in prairie no bearings
 46.00 To a Brook 12th N. wide cor. S. E.
 30.00 Entered some timber
 79.05 Intersect W. boundary 20th N. of
 post. & set post cor. Sec. 18 & 19 -
 a W. Oak 70 in. dia. bears S 60 W 6th dist.
 & a B. Oak 24 " " " N 38 E 50 " "
 Land rolling & the timber is Oak & Hick.

West Between sections 19 & 30

5.00 To a Brook, 10th N. wide cor. S. E.
 30.00 To some timbered 5th N. wide
 40.00 Set gr. sec. post - no bearings
 79.82 Intersect W. boundary, 32th N. of
 post. & set post cor. Sec. 19 & 30.
 a Hickory 10 in. dia. bears S 40 W 15th,
 & a B. Oak 4 " " " S 59 W 5th dist.
 Land rolling &c

West Between sections 30 & 31

40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears N 51 W 37th,
 & a W. Oak 24 in. dia. bears West 16th dist.
 78.86 Intersect the W. boundary, 48th N. of post.

T. & N. R. & W. 2nd Mer. Ind.

6.00 & set post cor. to Sec. 30 & 31 from wh.
 a W. Oak 20 in. dia. bears N 71 E 50th dist.
 & a Do. 20 " " " S. 65 W 49 " "
 Land rolling & the timber is Oak, &
 Hickory &c

East On Random between Sec. 29 & 32

25.00 Entered a swamp
 40.00 Set temporary gr. sec. post,
 80.00 Intersect E. line of sec. 18th N. S.
 of post.

West Correct the line between Sec. 29 & 32

40.00 Set gr. sec. post from which
 are Elm 12 in. dia. bears N 68 E 8th dist.
 80.00 To the sec. corner,

Surveyed in 1811 by
 D. Sullivan, Dep. Sur,

End of T. & N. R. & W. 2nd Mer.